

# MATERIAL SAFETY DATA SHEET

80/20 SELECT

MSDS DATE: 8/28/12

SUPERSEDES: 1/19/11

---

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

---

**PRODUCT NAME:** 80/20 SELECT

**DISTRIBUTOR:** Prime Source, LLC  
**ADDRESS:** 4609 E. Boonville-New Harmony Rd. • Evansville, IN 47725

**CHEMTREC PHONE:** US: 1-800-424-9300 International: 1-202-483-7616

**CHEMICAL NAME:** Proprietary mixture  
**CHEMICAL FAMILY:** Nonionic Surfactant  
**CHEMICAL FORMULA:** Mixture

**PRODUCT USE:** Adjuvant

**SECTION 1 NOTES:** None

---

## SECTION 2: HAZARDOUS INGREDIENTS

---

INGREDIENT	CAS NO.	% WT/% VOL	SARA 313	OSHA			ACGIH		
			REPORTABLE	TWA	STEL	Ceiling	TWA	STEL	Ceiling
Ethanol, 2, 2-oxybis	111-46-6	<20	No	Not established			Not established		
Ethylene oxide	75-21-8	<1 ppm	No	1 ppm	5ppm/15min		1 ppm		

**SECTION 2 NOTES:** None

---

## SECTION 3: HAZARDS IDENTIFICATION

---

**ROUTES OF ENTRY:** Eyes, skin, ingestion, inhalation

**POTENTIAL HEALTH EFFECTS**

**EYES:** May cause eye irritation.

**SKIN:** Prolonged contact may cause irritation to skin with local redness on skin.

**INGESTION:** May cause abdominal discomfort. Aspiration may occur during swallowing, resulting in lung damage.

**INHALATION:** Avoid breathing vapors or spray mist. Use respiratory protection device when handling.

**ACUTE HEALTH HAZARDS:** NA

**CHRONIC HEALTH HAZARDS:** NA

**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** NA

---

## CARCINOGENICITY

**OSHA:** No    **ACGIH:** No    **NTP:** No    **IARC:** No    **OTHER:** No

**SECTION 3 NOTES:** None

# MATERIAL SAFETY DATA SHEET

80/20 SELECT

MSDS DATE: 8/28/12

SUPERSEDES: 1/19/11

---

## SECTION 4: FIRST AID MEASURES

---

**If in Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses if present, after the first 5 minutes, then continue rinsing eye. Have the product container with you when calling a poison control center or doctor, or going for treatment.

**If on Skin or Clothing:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

**If Swallowed:** Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

**If Inhaled:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth to mouth if possible.

**NOTES TO PHYSICIANS OR FIRST AID PROVIDERS:**

**SECTION 4 NOTES:** None

---

## SECTION 5: FIRE-FIGHTING MEASURES

---

**FLAMMABLE LIMITS IN AIR, UPPER:** NA  
(% BY VOLUME)                      **LOWER:** NA

**FLASH POINT:**

F: >200

C: >93

**METHOD USED:**

PMCC

**AUTOIGNITION TEMPERATURE:**

F: NA

C: NA

**NFPA HAZARD CLASSIFICATION**

**HEALTH:** 1                      **FLAMMABILITY:** 1                      **REACTIVITY:** 0                      **OTHER:** -

**EXTINGUISHING MEDIA:**

Use National fire protection association Class B extinguishers (Carbon dioxide, water fog, dry chemical or foam). Water may also be used.

**SPECIAL FIRE FIGHTING PROCEDURES:**

Cool fire exposed containers with water. Wear NIOSH/OSHA approved self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** None known

**HAZARDOUS DECOMPOSITION PRODUCTS:** None known

**SECTION 5 NOTES:** None

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

---

**ACCIDENTAL RELEASE MEASURES:** Certain releases of any substance to the environment are prohibited by law and may require reporting to an environmental agency Remove all sources of ignition. Wear personal protective equipment to avoid breathing vapors Use non-sparking tools. For small spills, dike and absorb with inert material. Use emergency response professionals if managing a release is beyond the capability of in-house personnel.

**SECTION 6 NOTES:** None

---

## SECTION 7: HANDLING AND STORAGE

---

**HANDLING AND STORAGE:** Keep container tightly closed. Keep away from heat, sparks and flame. Do not use with aluminum equipment at temperatures above 49 °C (120 °F).

**SECTION 7 NOTES:** None

# MATERIAL SAFETY DATA SHEET

80/20 SELECT

MSDS DATE: 8/28/12

SUPERSEDES: 1/19/11

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

---

<b>VENTILATION :</b>	Where employees may be exposed, provide general dilution or local exhaust ventilation in volume and pattern to keep level of hazardous ingredient in Section 2 below recommended (ACGIH TLV) or regulate C (OSHA PEL) limit. Where employees will not be exposed, keep level below 25% of LEL in Sect. 2.
<b>RESPIRATORY PROTECTION:</b>	Not required under normal operating conditions.
<b>EYE PROTECTION:</b>	Safety glasses with slide shields or goggles.
<b>SKIN PROTECTION:</b>	Avoid skin contact by use of other protective clothing.
<b>OTHER PROTECTIVE CLOTHING OR EQUIPMENT:</b>	A safety shower, an eyebath and washing facilities should be available.
<b>WORK HYGIENIC PRACTICES:</b>	Wash thoroughly with soap and water after handling product and before eating, drinking, or using tobacco products. Clean affected clothing, shoes, and protective equipment before reuse.
<b>EXPOSURE GUIDELINES:</b>	NA
<b>SECTION 8 NOTES:</b>	None

---

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

---

<b>APPEARANCE:</b>	Clear, amber
<b>ODOR:</b>	Mild odor
<b>PHYSICAL STATE:</b>	Liquid
<b>pH AS SUPPLIED:</b>	NA
<b>pH (Other):</b>	NA
<b>BOILING POINT:</b>	
<b>F:</b>	Unknown
<b>C:</b>	Unknown
<b>MELTING POINT:</b>	
<b>F:</b>	Unknown
<b>C:</b>	Unknown
<b>FREEZING POINT:</b>	
<b>F:</b>	Unknown
<b>C:</b>	Unknown
<b>VAPOR PRESSURE (mmHg):</b>	Unknown
<b>@</b>	
<b>F:</b>	
<b>C:</b>	
<b>VAPOR DENSITY (AIR = 1):</b>	Unknown
<b>@</b>	
<b>F:</b>	
<b>C:</b>	
<b>SPECIFIC GRAVITY (H2O = 1):</b>	~1.2
<b>@</b>	
<b>F:</b>	68
<b>C:</b>	20
<b>EVAPORATION RATE:</b>	Unknown
<b>BASIS (butyl acetate=1):</b>	
<b>SOLUBILITY IN WATER:</b>	Soluble
<b>VISCOSITY:</b>	Unknown
<b>@</b>	
<b>F:</b>	
<b>C:</b>	
<b>SECTION 9 NOTES:</b>	None

---

## SECTION 10: STABILITY AND REACTIVITY

# MATERIAL SAFETY DATA SHEET

80/20 SELECT

MSDS DATE: 8/28/12  
SUPERSEDES: 1/19/11

STABILITY:      Stable       Unstable

CONDITIONS TO AVOID (STABILITY):                      None

INCOMPATIBILITY (MATERIAL TO AVOID):              Strong oxidizing agents such as hydrogen peroxide, bromine, and chromic acid.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS:      None known

HAZARDOUS POLYMERIZATION:                              Will not occur

CONDITIONS TO AVOID (POLYMERIZATION):              None known

SECTION 10 NOTES:    None

---

## SECTION 11: TOXICOLOGICAL INFORMATION

---

TOXICOLOGICAL INFORMATION:      Not available

SECTION 11 NOTES:    None

---

## SECTION 12: ECOLOGICAL INFORMATION

---

ECOLOGICAL INFORMATION:              Not available

SECTION 12 NOTES:    None

---

## SECTION 13: DISPOSAL CONSIDERATIONS

---

WASTE DISPOSAL METHOD:              This material is not classified as an ignitable hazardous waste according to federal regulations. Check with your state environmental agency to determine if this material is regulated in any way. No disposal method should be used which would pose an environmental or human health threat including any which would contaminate ground or surface waters.

RCRA HAZARD CLASS:    NA

SECTION 13 NOTES:    None

---

## SECTION 14: TRANSPORT INFORMATION

---

### U.S. DEPARTMENT OF TRANSPORTATION

PROPER SHIPPING NAME:              Not regulated

HAZARD CLASS:    Not regulated

ID NUMBER:    Not regulated

PACKING GROUP:    Not regulated

LABEL STATEMENT:    Not regulated

OTHER AGENCIES:    NA

SECTION 14 NOTES:    None

---

## SECTION 15: REGULATORY INFORMATION

---

# MATERIAL SAFETY DATA SHEET

80/20 SELECT

MSDS DATE: 8/28/12

SUPERSEDES: 1/19/11

## U.S. FEDERAL REGULATIONS

### TSCA (TOXIC SUBSTANCE CONTROL ACT):

All components of this product are listed or excluded from listing on the US Toxic Substance Control Act (TSCA) Chemical Substance Inventory.

### CERCLA (COMPREHENSIVE RESPONSE COMPENSATION, AND LIABILITY ACT):

Chemical Name (For NP 9.5) Glycol ethers (fraction of product matching EPA definition)	CAS Number Mixture	Range in % 0.09-0.29	RQ 1
Residual ethylene oxide (typical)	75-21-8	<0.001	10

### SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

#### Section 302/304 Extremely Hazardous Substances

Chemical Name	CAS Number	Range in %	TPQ	RQ
Residual ethylene oxide (typical)	75-21-8	<0.001	Below reportable concentrations	

### 311/312 HAZARD CATEGORIES:

This product has been reviewed according to the EPA "Hazard Categories" promulgated under Section 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories:

Immediate Health Hazard

### 313 REPORTABLE INGREDIENTS:

CAS Number	Chemical Name	Concentration
Mixture	Glycol ethers (fraction of product matching EPA definition)	0.09-0.29

### STATE REGULATIONS:

WARNING! This product contains a detectable amount of ethylene oxide, which is known to the State of California to cause cancer and/or reproductive toxicity.

Ethoxylated products may contain residual amounts of ethylene oxide (EO) which can accumulate in the container headspace and be released into the ambient environment. This process is enhanced when the product is agitated, as during tank car loading and unloading, and blending operations. Ethylene oxide causes tumors in laboratory animals. The Occupational Safety and Health Administration (OSHA) Permissible Exposure Level (PEL) for EO is 1 ppm for an eight-hour time weighted average exposure. The standard regulates occupational exposure to EO from all sources, including products containing residual EO. It is the responsibility of the employer to comply with OSHA ethylene oxide standard (29) CFR 1910.1047).

SECTION 15 NOTES: None

---

### SECTION 16: OTHER INFORMATION

OTHER INFORMATION: None

PREPARATION INFORMATION: Prepared on 8/28/12

### DISCLAIMER:

The recommendation for safe handling and protection procedures is believed to be generally suitable for the standard uses of this compound. However, each user should identify his intended uses of this material and determine whether they are appropriate. All data included in this document is released as typical values and should not be utilized to determine the suitability of this material for a particular use or purpose. No warranty, either expressed or implied, is hereby made, nor do we give permission, inducement, or recommendations to practice any patented invention without a license. All data is offered for consideration, investigation and verification purposes only.

**Prime Source LLC**  
**4609 East Boonville - New Harmony Road**  
**Evansville IN 47725**