

# THE ANDERSONS SAFETY DATA SHEET

DATE PREPARED: 04/05/90 CURRENT AS OF: 5/18/15

### **SECTION 1: PRODUCT / SUPPLIER IDENTIFICATION**

PRODUCT CODE: APT5151

PRODUCT NAME: The Andersons Turf Products Fertilizer 5-0-31

PRODUCT USE: Fertilizer

MFR INFO: The Andersons Lawn Products

PO Box 119

Maumee, Ohio, USA 43537

FOR EMERGENCY: (800) 757-8951 FOR INFORMATION: (419) 891-2957

### **SECTION 2: HAZARDS IDENTIFICATION**

# **HAZARD SYMBOLS / STATEMENTS:**



WARNING

MAY BE HARMFUL IF SWALLOWED
MAY CAUSE MILD SKIN IRRITATION
MAY CAUSE EYE IRRITATION
MAY CAUSE RESPIRATORY IRRITATION

| HAZARD CLASSIFICATIONS:        | <u>CATEGORY</u> | <u>INTERPRETATION</u>                     |
|--------------------------------|-----------------|---|
| ACUTE TOXICITY                 | 5               | Low                                       |
| SKIN IRRITATION                | 3               | Mild Skin Irritation Possible             |
| EYE IRRITATION                 | 2B              | Eye Irritation Possible                   |
| TARGET ORGAN SYSTEMIC TOXICITY | 3               | Transient Respiratory Irritation Possible |

### **PRECAUTIONARY STATEMENTS:**

- CALL A POISON CENTER / PHYSICIAN IF UNWELL
- IF SKIN IRRITATION OCCURS, GET MEDICAL ADVICE
- IF IN EYES, RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES REMOVE CONTACT LENSES
- IF EYE IRRITATION PERSISTS, GET MEDICAL ADVICE
- WASH HANDS AFTER HANDLING
- USE ONLY OUTDOORS OR IN WELL VENTILATED AREAS
- AVOID BREATHING DUST
- IF INHALED, REMOVE TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING
- STORE CONTAINER TIGHTLY CLOSED
- DISPOSE OF CONTENTS / CONTAINER IN ACCORDANCE WITH NATIONAL / REGIONAL / LOCAL REGULATIONS

# **APT5151**

#### **SECTION 3: COMPOSITION / INFORMATION ON INGREDIENTS**

| CHEMICAL IDENTITY  | <u>SYNONYM</u> | CAS NUMBER | CONCENTRATION (%) |
|--------------------|----------------|------------|-------------------|
| Potassium chloride | Potash         | 7447-40-7  | 50.0              |
| Iron oxide mix     |                | Mixture    | 20.0              |
| Limestone          |                | 1317-65-3  | 18.0              |
| Urea               |                | 57-13-6    | 8.7               |
| Sulfur coated urea |                | Not listed | 2.8               |

### **SECTION 4: FIRST AID MEASURES**

IF INHALED: Move victim to fresh air. Seek medical attention if irritation persists.

IF ON SKIN: Wash affected areas with soap and water. Seek medical attention if irritation

persists. Wash contaminated clothing before re-use.

IF IN THE EYES: Immediately flush with water for at least 20 minutes. Seek medical attention if

irritation persists.

IF SWALLOWED: If victim is alert and not convulsing, give one glass of water to dilute material,

but DO NOT induce vomiting. Seek immediate medical attention.

SPECIAL TREATMENT: None known

HEALTH HAZARDS: See Section 11

## **SECTION 5: FIREFIGHTING MEASURES**

EXTINGUISHING MEDIA: Use media suitable for surrounding fire. No special media

required.

SPECIFIC FIRE HAZARDS: Decomposition products may be toxic. Sulfur will burn when

separated from molten urea.

SPECIAL FIREFIGHTING PROCEDURES: Wear full protective clothing and positive-pressure self-

contained breathing apparatus.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

SPILL / RELEASE PROCEDURES: Collect spilled product and store to re-use. Contaminated product

and/or environmental media should be recovered and disposed of

properly.

ENVIRONMENTAL PRECAUTIONS: Prevent spilled material from entering storm drains or water bodies.

PROTECTIVE EQUIPMENT: See Section 8

#### **SECTION 7: HANDLING AND STORAGE**

Store in a cool, dry, well ventilated area. Do not store above 120° F.

#### **SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION**

# **EXPOSURE LIMITS:**

| HAZARDOUS COMPONENT | OSHA PEL   | ACGIH TLV                                    |
|---------------------|--|--|
| Potassium chloride  | 15 mg/m <sup>3</sup> (total)<br>5 mg/m <sup>3</sup> (respirable) | 10 mg/m³ (inhalable)<br>3 mg/m³ (respirable) |
| Iron oxide          | 15 mg/m <sup>3</sup> (total)<br>5 mg/m <sup>3</sup> (respirable) | 10 mg/m³ (inhalable)<br>3 mg/m³ (respirable) |
| Limestone           | 15 mg/m <sup>3</sup> (total)<br>5 mg/m <sup>3</sup> (respirable) | 10 mg/m³ (inhalable)<br>3 mg/m³ (respirable) |
| Urea                | 15 mg/m³ (total)<br>5 mg/m³ (respirable)                         | 10 mg/m³ (inhalable)<br>3 mg/m³ (respirable) |

# PERSONAL PROTECTIVE EQUIPMENT / PROTECTION MEASURES / CONTROLS:

RESPIRATORY PROTECTION: NIOSH approved particulate respirator, if required

EYE PROTECTION: Safety glasses with sideshields, goggles, or faceshield recommended

SKIN PROTECTION: Long sleeves, rubber gloves recommended

VENTILATION: Local exhaust ventilation recommended

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

APPEARANCE AND ODOR: Multi-colored granules, with slight ammonia / sulfur odor

pH: Not available Not available MELTING POINT: **BOILING POINT:** Not applicable FLASH POINT: Not flammable Not applicable **EVAPORATION RATE:** Not applicable FLAMMABLE LIMITS: VAPOR PRESSURE: Not applicable Not applicable VAPOR DENSITY: SPECIFIC GRAVITY: Not applicable Partially soluble SOLUBILITY (IN WATER): PARTITION COEFFICIENT: Not applicable **AUTOIGNITION TEMP:** Not applicable **DECOMPOSITION TEMP:** Not applicable

# **SECTION 10: STABILITY AND REACTIVITY**

STABILITY: Product is stable

CONDITIONS TO AVOID: Excessive heat (over 200°F)

INCOMPATIBILITY: Strong oxidizers, caustics, acids, hypochlorites

HAZARDOUS DECOMPOSITION PRODUCTS: HCN, NOx, COx, NH3, cyanuric acid, SOx

# **APT5151**

#### **SECTION 11: TOXICOLOGICAL INFORMATION**

HEALTH EFFECTS: May be irritating to the nose, throat, and respiratory tract, and may cause sore throat,

coughing, and shortness of breath. Skin irritation may result; repeated or prolonged skin exposures may result in dermatitis. May also be irritating to the eyes, causing redness and watering. Prolonged eye exposure may cause conjunctivitis and corneal damage. Ingestion may result in sore throat, abdominal pain, nausea, and diarrhea. Ingestion of large amounts of sulfur may lead to hydrogen sulfide poisoning due to

bacterial conversion of sulfur in the colon.

CARCINOGENICITY: None of the ingredients are known / listed carcinogens. However, product may contain

trace amounts of crystalline silica, which is listed by IARC as a potential human

carcinogen.

## **INGREDIENT TOXICITY RANGES:**

ORAL: 2,430 mg/kg (potassium chloride) – 14,300 mg/kg (urea)

DERMAL: None listed

INHALATION: None listed

# **SECTION 12: ECOLOGICAL INFORMATION**

This product is not known to be ecotoxic, persistent, or have the potential to bioaccumulate.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

Dispose of in accordance with all national, regional / state, and local regulations. Reuse recovered product where possible.

# **SECTION 14: TRANSPORT INFORMATION**

This product is not regulated as a transportation hazard.

# **SECTION 15: REGULATORY INFORMATION**

SARA SECTION 311 / 312 HAZARD CATEGORY: IMMEDIATE HAZARD

### **SECTION 16: OTHER INFORMATION**

NFPA RATINGS: HEALTH 1

FLAMMABILITY 0 INSTABILITY 0

HMIS RATINGS: HEALTH 1

FLAMMABILITY 0 PHYSICAL HAZARD 0

MSDS ID NO: 43

PREPARED BY: SS

The information and data contained herein is based upon facts considered to be correct as of the date hereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will The Andersons be responsible for damages of any nature whatsoever resulting from the use or reliance upon this information. No representations or warranties, either expressed or implied, of merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which this information refers.